SPECIAL ISSUE: THE FREE-AIR CARBON DIOXIDE ENRICHMENT (FACE) COTTON PROJECT: A NEW FIELD APPROACH TO ASSESS THE BIOLOGICAL CONSEQUENCES OF GLOBAL CHANGE

CONTENTS

| Introduction | |
|---|-----|
| Introduction to the Free-Air Carbon dioxide Enrichment (FACE) cotton project W.A. Dugas (Temple, TX, USA) and P.J. Pinter, Jr. (Phoenix, AZ, USA) | 1 |
| W.A. Dugas (Temple, TA, USA) and P.J. Pinter, Jr. (Phoenix, A2, USA) | |
| Research Papers | |
| The FACE program | |
| G.R. Hendrey (Upton, NY, USA) and B.A. Kimball (Phoenix, AZ, USA) | 3 |
| Design and application of a free-air carbon dioxide enrichment facility | |
| K.F. Lewin, G.R. Hendrey, J. Nagy (Upton, NY, USA) and R.L. LaMorte (Phoenix, AZ, | |
| USA) | 15 |
| FACE facility CO ₂ concentration control and CO ₂ use in 1990 and 1991 | |
| J. Nagy, K.F. Lewin, G.R. Hendrey, E. Hassinger (Upton, NY, USA) and R. LaMorte | |
| (Phoenix, AZ, USA) | 31 |
| Growth and yield of cotton in response to a free-air carbon dioxide enrichment (FACE) | |
| environment | |
| J.R. Mauney, B.A. Kimball, P.J. Pinter, Jr., R.L. LaMorte (Phoenix, AZ, USA), K.F. Lewin, | |
| J. Nagy and G.R. Hendrey (Long Island, NY, USA) | 49 |
| Effects of free-air CO ₂ enrichment on cotton root growth | |
| S.A. Prior, H.H. Rogers, G.B. Runion (Auburn, AL, USA) and J.R. Mauney (Phoenix, AZ, | |
| USA) | 69 |
| Carbon isotope dynamics of free-air CO ₂ -enriched cotton and soils | |
| S.W. Leavitt (Tucson, AZ, USA), E.A. Paul (East Lansing, MI, USA), B.A. Kimball (Phoenix, | |
| AZ, USA), G.R. Hendrey (Upton, NY, USA), J.R. Mauney (Phoenix, AZ, USA), | |
| R. Rauschkolb (Maricopa, AZ, USA), H. Rogers (Auburn, AL, USA), K.F. Lewin, | |
| J. Nagy (Upton, NY, USA), P.J. Pinter, Jr. (Phoenix, AZ, USA) and H.B. Johnson | 87 |
| (Temple, TX, USA) | 67 |
| C.W. Wood (Auburn, AL, USA), H.A. Torbert (Temple, TX, USA), H.H. Rogers, G.B. | |
| Runion and S.A. Prior (Auburn, AL, USA) | 103 |
| Effects of free-air CO ₂ enrichment on microbial populations in the rhizosphere and phyllo- | 103 |
| sphere of cotton | |
| G.B. Runion, E.A. Curl, H.H. Rogers, P.A. Backman, R. Rodríguez-Kábana and B.E. Helms | |
| (Auburn, AL, USA) | 117 |
| Soil carbon dioxide fluxes in natural and CO ₂ -enriched systems | |
| F.S. Nakayama (Phoenix, AZ, USA), G. Huluka (Tuskegee, AL, USA), B.A. Kimball | |
| (Phoenix, AZ, USA), K.F. Lewin, J. Nagy and G.R. Hendrey (Long Island, NY, USA) | 131 |
| Effects of elevated CO ₂ and water stress on mineral concentration of cotton | , |
| G. Huluka, D.R. Hileman, P.K. Biswas (Tuskegee, AL, USA), K.F. Lewin, J. Nagy and | |
| G.R. Hendrey (Upton, NY, USA) | 141 |
| Influence of elevated CO ₂ and mild water stress on nonstructural carbohydrates in field-grown | |
| cotton tissues | |
| D.L. Hendrix, J.R. Mauney, B.A. Kimball (Phoenix, AZ, USA), K. Lewin, J. Nagy and | |
| G.R. Hendrey (Unton NY USA) | 153 |

| Effect of free-air CO ₂ enrichment on the chlorophyll content of cotton leaves P.J. Pinter, Jr., S.B. Idso, D.L. Hendrix, R.R. Rokey (Phoenix, AZ, USA), R.S. Rauschkolb (Maricopa, AZ, USA), J.R. Mauney, B.A. Kimball (Phoenix, AZ, USA), G.R. Hendrey, | 163 |
|--|-----|
| K.F. Lewin and J. Nagy (Upton, NY, USA) Leaf water relations of cotton in a free-air CO ₂ -enriched environment | 103 |
| N.C. Bhattacharya, J.W. Radin, B.A. Kimball, J.R. Mauney (Phoenix, AZ, USA), G.R. Hendrey, J. Nagy, K.F. Lewin (Upton, NY, USA) and D.C. Ponce (Phoenix, AZ, USA) | 171 |
| Effects of free-air CO ₂ enrichment on the light response curve of net photosynthesis in cotton leaves | |
| S.B. Idso, B.A. Kimball, G.W. Wall, R.L. Garcia, R. LaMorte, P.J. Pinter, Jr., J.R. Mauney (Phoenix, AZ, USA), G.R. Hendrey, K. Lewin and J. Nagy (Long Island, NY, USA). Canopy photosynthesis and transpiration of field-grown cotton exposed to free-air CO ₂ | 183 |
| enrichment (FACE) and differential irrigation | |
| D.R. Hileman, G. Huluka, P.K. Kenjige, N. Sinha, N.C. Bhattacharya, P.K. Biswas (Tuskegee, AL, USA), K.F. Lewin, J. Nagy and G.R. Hendrey (Upton, NY, USA) | 189 |
| Effects of free-air carbon dioxide enrichment on PAR absorption and conversion efficiency by cotton | |
| P.J. Pinter, Jr., B.A. Kimball, J.R. Mauney (Phoenix, AZ, USA), G.R. Hendrey, K.F. Lewin and J. Nagy (Upton, NY, USA) | 209 |
| Sap flow measurements of transpiration from cotton grown under ambient and enriched CO ₂ concentrations | |
| W.A. Dugas, M.L. Heuer (Temple, TX, USA), D. Hunsaker, B.A. Kimball (Phoenix, AZ, USA), K.F. Lewin, J. Nagy (Long Island, NY, USA) and M. Johnson (Phoenix, AZ, USA) | 231 |
| Cotton evapotranspiration under field conditions with CO ₂ enrichment and variable soil moisture regimes | 201 |
| D.J. Hunsaker (Phoenix, AZ, USA), G.R. Hendrey (Upton, NY, USA), B.A. Kimball (Phoenix, AZ, USA), K.F. Lewin (Upton, NY, USA), J.R. Mauney (Phoenix, AZ, | |
| USA) and J. Nagy (Upton, NY, USA) Effects of free-air CO ₂ enrichment on energy balance and evapotranspiration of cotton B.A. Kimball, R.L. LaMorte, R.S. Seay, P.J. Pinter, Jr., R.R. Rokey, D.J. Hunsaker (Phoenix, | 247 |
| AZ, USA), W.A. Dugas, M.L. Heuer (Temple, TX, USA), J.R. Mauney (Phoenix, AZ, USA), G.R. Hendrey, K.F. Lewin, J. Nagy (Upton, NY, USA) | 259 |
| Influence of enhanced CO ₂ concentration and irrigation on sudangrass digestibility D.E. Akin (Athens, GA, USA), B.A. Kimball, J.R. Mauney, R.L. LaMorte (Phoenix, AZ, USA), G.R. Hendrey, K. Lewin, J. Nagy (Long Island, NY, USA) and R.N. Gates | |
| (Tifton, GA, USA) | 279 |
| COTCO2: a cotton growth simulation model for global change G.W. Wall (Phoenix, AZ, USA), J.S. Amthor (Woods Hole, MA, USA) and B.A. Kimball | 200 |
| (Phoenix, AZ, USA) | 289 |

